INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference RS/pe-16072	FOR FURTHE	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/PEA/416) International filing date (day/month/year) 11.04.2003 Priority date (day/month/year) 12.04.2002		
International application No. PCT/CH 03/00243	International filing 11.04.2003			
International Patent Classification (IF	C) or both national classific	ation and IPC	<u> </u>	
H02M3/337				
	•			
Applicant		· · · · · · · · · · · · · · · · · · ·		
DELTA ENERGY SYSTEMS	AG			
This international prelimina Authority and is transmitted	ry examination report has	s been prepared by this I	nternational Preliminary Examining	
Authority and is transmitted	to the applicant according	ng to Article 36.		
2. This REPORT consists of a	total of 9 sheets, includi	ing this cover sheet.		
☐ This report is also acc	companied by ANNEXES	i a shoota of the descrip		
been amended and ar	e the basis for this report	t and/or sheets of the descript and/or sheets containing	ption, claims and/or drawings which have g rectifications made before this Authority	
,	of the Admin	strative Instructions unde	er the PCT).	
These annexes consist of a	total of 8 sheets.		•	
	·			
3. This report contains indication	ons relating to the following	na iteme:		
. 5		ig items.		
I ⊠ Basis of the opin II □ Priority	ion			
	nt of oninion with regard	to novelhe incombine at		
IV Lack of unity of ir	vention	to noverty, inventive step	and industrial applicability	
V ⊠ Reasoned statem	nent under Rule 66.2(a)(ii) with regard to novelty i	inventive step or industrial applicability;	
	amend capporting suci	statement	invertive step of industrial applicability;	
VI ☐ Certain documen				
	the international applicat			
VIII Certain observation	ons on the international a	pplication		
Date of submission of the demand				
Jaio of Sudmission of the demand		Date of completion of t	his report	
2.11.2003		10.00		
		19.08.2004		
lame and mailing address of the intern reliminary examining authority:	ational	Authorized Officer		
European Patent Office -	P.B. 5818 Patentiaan 2		Spiritual Palantany	
NL-2280 HV Rijswijk - Pa	ıvs Bas	Marannino, E.	M	
Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016		Telephone No. +31 70	340 300c	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/CH 03/00243

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	De	escription, Pages					
	1-	10	as ori	ginally filed			
	Ci	aims, Numbers					
	1-0						
	1-0	55	receiv	ved on 27.07.2004 with letter of 27.07.2004			
	Dr	awings, Sheets					
	1/6	s-6 / 6	as ori	ginally filed			
2.	. Wi lan	With regard to the language , all the elements marked above were available or furnished to this Authority in the anguage in which the international application was filed, unless otherwise indicated under this item.					
	Th	ese elements were a	vailable or furnis	shed to this Authority in the following language: , which is:			
		the language of a t	ranslation furnis	hed for the purposes of the international search (under Rule 23.1(b)).			
		the language of pul	blication of the ir	nternational application (under Rule 48.3(b)).			
		the language of a to Rule 55.2 and/or 55	ranslation furnisi 5.3).	hed for the purposes of international preliminary examination (under			
3.	Wit inte	th regard to any nucleotide and/or amino acid sequence disclosed in the international application, the ernational preliminary examination was carried out on the basis of the sequence listing:					
	☐ contained in the international application in written form.						
		filed together with the international application in computer readable form.					
		The statement that in the international a	the subsequentl application as file	y furnished written sequence listing does not go beyond the disclosure ed has been furnished.			
		The statement that the listing has been furn	the information r nished.	recorded in computer readable form is identical to the written sequence			
4.	The	e amendments have resulted in the cancellation of:					
		the description,	pages:				
	\boxtimes	the claims,	Nos.:	36-41			
		the drawings,	sheets:				

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No.

PCT/CH 03/00243

5. 🗆	This report has been established as if (some of) the amendments had not been made, since they have
	been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

No:

Yes: Claims Claims 1-35

Inventive step (IS)

Yes: Claims

1-35

No: Claims

Industrial applicability (IA)

Yes: Claims

1-35

Claims No:

2. Citations and explanations

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

D1: DE DONCKER R W ET AL: "A three-phase soft-switched high power density DC/DC converter for high power applications" 1988 IEEE, 2 October 1988 (1988-10-02), pages 796-805, XP010519176

D2: EP-A-0 430 242 (SYSTEL DEV & IND LTD) 5 June 1991 (1991-06-05)

The present international application relates to power conversion circuits and method to reduce reverse recovery losses in the secondary rectifiers, while primary switching elements switches at zero voltage.

Relating claim 1

Novelty

- Document D1, which is regarded as being the closest prior art to the subject-matter of claim 1, discloses a power conversion circuit (Fig. 1) having a power transformer (L_m), four semiconductor switching elements (S1-S4) connected as a bridge across an input to the power conversion circuit and connected to a primary winding (in which Iprim flows) of the power transformer to reverse current trough the primary winding,
- a split secondary winding on the power transformer.
- a first unidirectional current conducting device (first diode connecting the secondary winding to the output C_o , R_o via inductor L) connected from a one end (+) of the split secondary winding to an inductor,
- a second unidirectional current conducting device (second diode connecting the secondary winding to the output Co, Ro via inductor Lo) connected from a second end of the split secondary winding to the inductor,
- the inductor and a connection to an interconnection between two halves of the split secondary winding being connected to the output power conversion circuit (Co, Lo),

EXAMINATION REPORT - SEPARATE SHEET

- an injection voltage source (L_1, C_1) connected to the primary winding of the power transformer for applying an injection voltage to the primary winding in addition to an input voltage to the primary winding via the semiconductor switching elements.

The snubber capacitor C₁ is a voltage injection source since it provides a voltage in series with the primary winding of the transformer (L_m).

- The subject-matter of claim 1 differs from this known power conversion circuit of D1 1.1 in that:
- the injection voltage source is an auxiliary transformer having a primary winding in series with the primary winding of the power transformer and a capacitor in series with a secondary winding of the auxiliary transformer and connected to ground.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

Inventive step

- 1.2 The problem to be solved by subject-matter of claim 1 over D1 may be regarded as: to reduce the reverse recovery current.
- Even if the skilled person would recognise the above mentioned problem which 1.2.1 is also mentioned in D1 (see page 797, first column, lines 6-8), the skilled person would not be able to remove the injection voltage source of D1 consisting in the leakage inductor L₁ and the snubber capacitor C₁ and to substitute this element with the injection voltage source of claim consisting in an auxiliary transformer having a primary winding in series with the primary winding of the power transformer and a capacitor in series with a secondary winding of the auxiliary transformer and connected to ground.

On the contrary in D1 a completely different solution is given and the man skilled in art would not be prompted to abandon the teaching of D1.

- 1.2.2 Therefore subject-matter of claim 1 does involve an inventive step in the sense of Article 33(3) PCT.
- 1.3 Claim 2 is dependent on claim 1 and as such also meets the requirements of the PCT with respect to novelty and inventive step (Articles 33(2) and 33(3)).

Relating claim 3

Novelty

2. Document D2, which is regarded as being the closest prior art to the subject-matter of claim 3, discloses (fig. 12):

a power conversion circuit having:

- a power transformer (with one primary winding and two secondary windings) with at least primary winding and at least one secondary winding, a primary circuit (switch and primary winding of the transformer T1) connected with the primary winding and adapted to deliver a main primary current alternating in direction through the primary winding and adapted to deliver a main power secondary current from the secondary winding and to deliver electric power to a load,
- at least one semiconductor unidirectional current conducting device (D1a, D1b) in at least one of the primary and the secondary circuits and adapted alternately to conduct a main current passing through an associated one of the windings of the power transformer; comprising:
- an injection voltage source (T1) connected to apply a supplemental reverse bias voltage to the semiconductor unidirectional current conducting device sufficient to terminate forward conduction (induced by the current $I_{\rm R2}$) (see column 3, line 31-58) in the device and to deplete carriers in the device at the moment when reverse current is flowing in the said device by an alternating of the main primary current causing a reversal of voltage across the associated power transformer winding.
- 2.1 Therefore subject-matter of claim 5 differs from the power conversion circuit of D2 in the fact that:
- the supplemental reverse bias voltage is sufficient to terminate forward conduction in the device at times prior to each reverse biasing
- the injection voltage source is an auxiliary transformer having a primary winding in series with the primary winding of the power transformer and a capacitor in series with a secondary winding of the auxiliary transformer and connected to ground.

The subject-matter of claim 3 is therefore new (Article 33(2) PCT).

Inventive step

- 2.2 The problem to be solved by subject-matter of claim 3 over prior art D2 may be regarded as: to find an alternative way of D2 in reducing reverse recovery current.
- 2.2.1 The man skilled art would not be able to modify the power conversion of D2 and combine the two new features which have a functional interrelation.
- Therefore the man skilled in art would not arrive to teh subject-matter of claim 2.2.2 3 without using an inventive step.

The subject-matter of claim 3 is therefore new (Article 33(2) PCT).

2.3 Claims 4-22 are dependent on claim 3 and as such also meet the requirements of the PCT with respect to novelty and inventive step (Articles 33(2) and 33(3)).

Relating claims 23 and 28

Novelty

- Document D2, which is regarded as being the closest prior art to the subject-matter of claim 23, discloses (fig. 12):
- a power conversion circuit:
- having a power transformer (with one primary winding and two secondary windings) with a primary winding and at least one secondary winding having a semiconductor rectifying means (D1a, D1b) coupled in current conducting relation with at least one secondary winding, an inductor (L1a, L1b) coupled in current conducting relation between the semiconductor rectifying means and an output connection;
- -an injection voltage source (T1) for applying a first, relatively low reverse bias voltage to the semiconductor rectifying means to halt forward conduction (induced by the current I_{B2}) (see column 3, line 31-58) and deplete carriers in the semiconductor rectifying means at the moment to each application to the semiconductor rectifying means of a reverse bias larger than the first relatively low bias voltage.

- **EXAMINATION REPORT SEPARATE SHEET**
- Therefore subject-matter of claim 23 differs from the power conversion circuit of D2 in the fact that:
- the injection voltage source applies low reverse bias voltage to halt forward conduction prior to each application to the semiconductor rectifying means of a reverse bias larger than the low bias voltage".
- the injection voltage source is an auxiliary transformer having a primary winding in series with the primary winding of the power transformer and a capacitor in series with a secondary winding of the auxiliary transformer and connected to ground.

The subject-matter of claim 23 is therefore new (Article 33(2) PCT).

Inventive step

- 3.2 The problem to be solved by subject-matter of claim 23 over prior art D2 may be regarded as: to find an alternative way of D2 in reducing reverse recovery current.
- 3.2.1 The man skilled art would not be able to modify the power conversion of D2 and combine the two new features which have a functional interrelation.
- Therefore the man skilled in art would not arrive to teh subject-matter of claim 3.2.2 3 without using an inventive step.

The subject-matter of claim 23 is therefore new (Article 33(2) PCT).

- 3.3 Claims 23-27 are dependent on claim 23 and as such also meet the requirements of the PCT with respect to novelty and inventive step (Articles 33(2) and 33(3)).
- 3.4 The same reasoning applies mutatis mutandis to relative method claim 28 and dependent method claims 29-35.

Therefore the subject-matter of claim 28-35 meets the requirements of Articles PCT 33(2) 33(3).

Industrial applicability

The present power conversion circuits of independent claims 1, 3, 23, 26 find an application as power supplies therefore the industrial applicability of claim is beyond any



INTERNATIONAL PRELIMINARY

International application No. PCT/CH 03/00243

EXAMINATION REPORT - SEPARATE SHEET

doubt.

Therefore independent claims 1, 3, 23, 26 meet the requirements of Article 33(4) PCT.

Reaming dependent claims also meet the requirements of Article 33(4) PCT.